

JSF / Facelets Session Leak

By [Roger Keays](#), 22 June 2011

Here is a bug that is fixed in JSF 2.1.0, but not the 2.0.x series. Bad Facelets code forces session creation for every request. One workaround is to remove the `facelets.Encoding` attribute from the `FacesContext` before rendering using a custom `ViewHandler`:

```
/**
 * The default FaceletViewHandler uses session attributes to track
 * the response encoding to use. We can avoid session creation by
 * removing the facelets.Encoding attribute from the FacesContext.
 */
@Override
public void renderView(FacesContext faces, UIViewRoot root)
    throws IOException {
    faces.getAttributes().remove("facelets.Encoding");
    super.renderView(faces, root);
}
```

The problem with this is that the template encoding then defaults to ISO-8859-1 while most of will be using UTF-8. So we need another solution.

Try as I might to find another extension point to prevent the session creation, I could not. In the end I just copied the `com.sun.faces.application.view.FaceletViewHandlerStrategy` source into my project and patched the file myself by commenting out the line below.

```
if (ctxAttributes.containsKey("facelets.Encoding")) {
    encoding = (String) ctxAttributes.get("facelets.Encoding");
    if (LOGGER.isLoggable(Level.FINEST)) {
        LOGGER.log(Level.FINEST,
            "Facelet specified alternate encoding {0}",
            encoding);
    }
    //sessionMap.put(ViewHandler.CHARACTER_ENCODING_KEY, encoding);
}
```

Dodgy, but effective.

About Roger Keays



Roger Keays is an artist, an engineer, and a student of life. He has no fixed address and has left footprints on 40-something different countries around the world. Roger is addicted to surfing. His other interests are music, psychology, languages, the proper use of semicolons, and finding good food.